


KADNAR GROUP

kadnargroup.com




matemodular.com

Mate Modular is a member of Kadnar Group



STİL PANEL Sandviç Duvar Paneli
Fırın Boyalı Sac Polistren Köpük
(EPS olup ses ve ısı yalıtımı sağlamaktadır.)





TEKNİK ÖZELLİKLER

ÜRETİM EBATLARI	Üret m T p 1	ST 37, TSE 634-2 2400x6000x2520 mm TS 901	Metal malzemeler Betopan	
	Üret m T p 2	3000x7000x2520 mm TS 7316 K:0.74 Kcal/m²hc	Cam yünü EPS köpük Dış duvar ilet m katsayısı	
TEKNİK VERİLER	Deprem şartları	K:0.68 Kcal/m²hc 1.Derece deprem şartları	Çatı ilet m katsayısı	
	İkl m şartları	K:0.68 Kcal/m²hc 5.İkl m bölgesi için uygun	Taban ısı ilet m katsayısı	
	Kar yükü	80 Kg/m²	Şase yük kapas tes	
	Rüzgar hızı	102 Km/h		
TABAN	S stem	Şase ler Rollform mak nasında özel şek llend r lm ş sac dan kaynaksız tek parça şek lnde mal ed l r. Ara kayıtlar Rollform mak nasında özel şek llend r lm ş galven z sac dan mal ed l r.		
	Taban kaplaması	Taban kaplaması olarak 14-16 mm kalınlıklı yanmaz Betopan veya Tepepan levhalar üzer ne, döşeme kaplaması olarak 2-2,5 mm kalınlıklı PVC M neflo kullanılmaktadır. (Islak zem nler M neflö kaplanır. Zem ne lave g der konulur.) Özel şek llend r lm ş profiller yardımıyla karkaslı olarak yapılır . Dış duvarlar 50mm Eps dolgulu ral9002 sandv ç panel "STİL PANEL Kend Markamız."		
DUVAR	S stem	Eps dolgulu RAL9002 sandv ç panel		
	Dış Yüzey Kaplaması	50mm EPS dolgu malzemes		
	İç Yüzey Kaplaması	50mm EPS Dolgulu Sandv ç panel. (Paneller "STİL PANEL" Olup kend markamızdır.)		
	Duvar İzolasyonu	50mm EPS		
ÇATI	Çatı s stem	50mm EPS Dolgulu Sandv ç panel. (Paneller "STİL PANEL" Olup kend markamızdır.)		
	Çatı İzolasyonu	Eps dolgulu ral9002 sandv ç panel (Paneller "STİL PANEL" Olup kend markamızdır.)		
	İç Yüzey Kaplaması	Ops yonel; " A " Çatı. Makaslar ve ara aşıklar paslanmaz galvan z sac. Çatı kaplaması renkl trapez sac.		
	Dış Yüzey Kaplaması			
KAPILAR	Dış Kapı	Özel şek llend r lm ş Pres sac ve sandev ç panel kapıdır.		
	İç Kapı	İç kapılar ahşap MDF kapıdır		
PENCERELER	Pencere	100/120 Ölçüler nded r.		
	Pencere Karkası	1,2 kalınlıkta galvan z sacdır.		
	Pervaz	Pencereler ç ft camlı özel üret m u kasa profilden mal ed l r.		
	Cam	4+12+4 ısıcamlı yapılmaktadır.		
BOYALAR	Dış Cephe	1 Kat Rap d astar boya üzer ne son katrap d boyalıdır.		
	İç ve dış kapı kasaları	1 Kat Rap d astar boya üzer ne son kat rap d boyalıdır.		
	Metal aksam	1 Kat Rap d astar boya uygulanmaktadır.		
ELEKTRİK TESİSATI (SIVA ALTI)	S stem	Her odada b r anahtar, b r r z, vardır.		
	Kablo	Elekt r k gücü 2000 W 220 Volt P r zler ç n 3x2,5 NYM Kablo, aydınlatmalar ç n 2x1,5 HES ve VATAN marka kablo veya muad l kullanılmaktadır. TSE standartlarına uygun ürünler. (İpeksan, SDS veya muad l)		
	Aydınlatma Armatürü	TSE standartlarına uygun ürünler. (Makel, Günsan veya muad l)		
	P r z ve Anahtarlar			
SİHİ TESİSATI	V tr fiye (Armatürler)	Falcioğlu markadır. Veya muad l		
	Lavabo ve duş (Armatürler)	İdav t markadır. Veya muad l		
	Tem z su boruları	PPRC Hakan boru markadır. Veya muad l		
	P s su boruları	PVC Hakan boru markadır. Veya muad l		
KALDIRMA İŞLEVİ	Konteynerler dört köşes nden kaldırma mapaları ve çel k halatlarla kaldırılıp nd r leb lmekted r.			

TECHNICAL SPECIFICATIONS


CONTAINER'S DIMENSIONS	Type I	2400x6000x2520 mm	STEEL MATERIAL CEMENT BOARD	ST 37 TSE 634-2
	Type II	3000x7000x2520 mm	GLASS WOOL	TS 901
			EPS (Polystyrene)	TS 7316
TECHNICAL DATA	Earthquake cond t ons	1st degree earthquake zone	Thermal transfer coeff c ent of ROOF	K:0.69 Kcal/m²hc
	Cl mate cond t ons	Product on s based on 3. Cl mat c zone	Thermal transfer coeff c ent of the floor	K:0.68 Kcal/m²hc
	Snow load value	80 Kg/m²	Chass s load capac ty	200 Kg/m²
	W nd speed value	102 Km/h		
FLOOR	System	Chass s; It s manufactured from a spec ally shaped sheet n the Rollform mach ne as a s ngle p ece w thout weld ng. Intern connect ons; It s manufactured from spec ally shaped galvan zed sheet n the Rollform mach ne.		
	Floor Coat ng	As floor cover ng 14-16mm th ckness fire proof bercement (Betopan or Tepepan). As Floor Cover ng 2,00-2,50 mm PVC v nyl floor appl es. For Wet Floors (PVC v nly and water dra nage appl es)		
WALLS	System	It s made w th carcass w th the help of spec ally shaped profiles.		
	Outer Surface Cover ng	Outer Walls are 50 mm RAL9002 electrostat c Prepa nted Polystyrene (EPS) fulled, St l Panel Wall Sandw ch Panel		
	Inner Surface Cover ng	Inner Walls are RAL 9002 Prepa nted, Polystyrene (EPS) fulled Sandw ch Panel		
	Wall Insulat on	Produced w th 50 mm th ckness Polystyrene (EPS) fulled. (Panels are St l Panel brand and own product ons.		
ROOF	Roof System	Produced w th 50 mm th ckness Polystyrene (EPS) fulled. (Panels are St l Panel brand and own product ons)		
	Roof Insulat on	50 mm Polystyrene (EPS)		
	Roof Inner Surface	Produced w th 50 mm th ckness Polystyrene (EPS) fulled. (Panels are St l Panel brand and own product ons)		
	Roof Outer Surface	Produced w th RAL9002 Polystyrene (EPS) fulled. (Panels are St l Panel brand and own product ons) Opt onal : "A" Roof. Roof truss and purl ns are galvan zed sheet. Roof cover ng s colored trapeze sheet.		
DOORS	External Door	Made of Metal door frame and sheet metal sandw ch panel		
	Internal Door	Made of MDF doors.		
WINDOWS	W ndow	1000 x 1200 mm w ndow.		
	Frame	Frames are 1,2 mm th ckness galvan zed sheet.		
	Arch trave	W ndows are double glaz ng and U shaped profile.		
	Glass	4+12+4 Double glass		
PAINTING	Exterior And Inter or	F rst stage pa nt Ester base and second phase pa nt.		
	Door Frame	F rst stage pa nt Ester base and second phase pa nt.		
	Metal Parts	F rst stage Ester pa nt ng		
ELECTRIC INSTALLATIONS	System	Each Room has one power sw tch and one socket		
	Cable	Plugs 3x2,5 NYM and l ght ng 2x1,5 NYM (HES and VATAN brand or equal) for 2000 W 220 Voltage Electr cal power TSE cert fied mater als. (ipeksan, SDS or equal)		
	L ght ng	TSE cert fied mater als (Makel, Günsan or equal)		
	Plugs and Sw tches	Falcioğlu or equal		
SANITARY INSTALLATION	Closet			
	S nk	İdav t or equal		
	Fresh Wather P p ng	PPRC featured mater al n use brand Hakan or equal.		
	Waste P p ng	PPRC featured mater al n use brand Hakan or equal.		
LIFTING	L ft ng ropes are connected from the four corners of the conta ner through an ear to each corner			



SH001 2,40x6,00 mt - \$ 2.000,00
3,00x7,00 mt - \$ 2.200,00



SH002 2,40x6,00 mt - \$ 2.525,00
3,00x7,00 mt - \$ 2.750,00



SH003 2,40x6,00 mt - \$ 2.130,00
3,00x7,00 mt - \$ 2.330,00




SH004 2,40x6,00 mt - \$ 2.160,00
3,00x7,00 mt - \$ 2.360,00



SH005 2,40x6,00 mt - \$ 2.125,00
3,00x7,00 mt - \$ 2.350,00




SH006 2,40x6,00 mt - \$ 2.250,00
3,00x7,00 mt - \$ 2.450,00



SH007 2,40x6,00 mt - \$ 2.500,00
3,00x7,00 mt - \$ 2.700,00



SH008 2,40x6,00 mt - \$ 2.630,00
3,00x7,00 mt - \$ 2.850,00



SH009 2,40x6,00 mt - \$ 2.450,00
3,00x7,00 mt - \$ 2.650,00



SH010 2,40x6,00 mt - \$ 2.400,00
3,00x7,00 mt - \$ 2.650,00





SH011 2,40x6,00 mt - \$ 2.580,00
3,00x7,00 mt - \$ 2.780,00



SH012 2,40x6,00 mt - \$ 2.630,00
3,00x7,00 mt - \$ 2.830,00



SH013 2,40x6,00 mt - \$ 2.550,00
3,00x7,00 mt - \$ 2.750,00




SH014 2,40x6,00 mt - \$ 2.680,00
3,00x7,00 mt - \$ 2.880,00



SH015 2,40x6,00 mt - \$ 2.580,00
3,00x7,00 mt - \$ 2.780,00



SH016 2,40x6,00 mt - \$ 2.580,00
3,00x7,00 mt - \$ 2.780,00



SH017 2,40x6,00 mt - \$ 2.680,00
3,00x7,00 mt - \$ 2.880,00



SH018 2,40x6,00 mt - \$ 2.655,00
3,00x7,00 mt - \$ 2.855,00




SH019 2,40x6,00 mt - \$ 1.450,00
3,00x7,00 mt - \$ 1.650,00



SH020 2,40x6,00 mt - \$ 2.350,00
3,00x7,00 mt - \$ 2.550,00



ECO MODEL






MULTIPLE WORK
SITE DORMITORY
& DINING HALL



WC & SHOWER CABINS


STANDART - \$ 600,00
ECO - \$ 450,00





STANDART - \$ 650,00
ECO - \$ 500,00





STANDART - \$ 1.000,00
ECO - \$ 800,00



STANDART - \$ 1.000,00
ECO - \$ 800,00




SECURITY CABINS





STANDART - \$ 600,00 (150x150 cm) -
\$ 950,00 (210x210 cm) - \$ 1.250,00
(240x200 cm)



ECONOMY - \$ 800,00 (200x200 cm)
- \$1.200,00 (300x400 cm)




SECURITY CABINS



STANDART - \$ 600,00 (150x150 cm) -
\$ 950,00 (210x210 cm) - \$ 1.250,00
(240x200 cm)



ECONOMY - \$ 800,00 (200x200 cm)
- \$1.200,00 (300x400 cm)





KADNAR GROUP

matemodular.com

kadnargroup.com

Eddie W.

Sales Manager

+90 546 842 47 27

sales@kadnargroup.com

İstanbul / Türkiye

Mustafa K.

Export Manager

+90 555 159 5353

export@kadnargroup.com

İstanbul / Türkiye

Cankat A.

Marketing Manager

+90 544 291 9353

marketing@kadnargroup.com

İstanbul / Türkiye

Osman A.

Export Manager

+49 15510 669637

export1@kadnargroup.com

İstanbul / Türkiye

Mate Modular is a member of Kadnar Group